

Notice of Findings

Notice To: CAROL A STURDEVANT - Director
Facility Name: CAROL'S DAY CARE
Owner:
Site Address: 630 WEST DEER
City/State/Zip: Glenrock, WY 82637

The Department of Family Services has completed the investigation regarding alleged violation(s) of the Wyoming Child Care Rules received on 03/24/2022, and investigated by Teddie Schrayner

A statement of childcare allegation, CPL-48757, was provided on 03/24/2022.

The finding is listed below for each individual alleged violation of the Wyoming Child Care Licensing Rules:

1. Finding: Non-Compliant

Regulation: Chapter 8. Health and Sanitation
Section 4. Sanitation Requirements for Child Care Facilities
(b) All Family Child Care Homes (FCCH) and Family Child Care Centers (FCCC) shall comply with the following standards. The principles and requirements of the Wyoming Food Safety Rule may be required, over and above these rules, in cases where potentially hazardous foods are prepared.
(x) Hand Washing Sinks
(D) Hot water from such hand washing sinks or other child accessible faucet(s) shall not exceed 120°F at exit point from the faucet.

Explanation of Findings: The handwashing sink in the bathroom where children were washing their hands was 122 degrees. Needs turned down so that it is 120 degrees or less.

Action Required: Please turn hot water heater down to below 120 degrees. Licensing will monitor temperature at future visits. Please submit corrective action plan showing water has been decreased.

Corrective Action Plan Due Date: 04/04/2022
Corrective Action Plan Achieved Date:
Compliance Due Date: 04/04/2022
Compliance Achieved Date:

2. Finding: Non-Compliant

Regulation: Chapter 4. General Requirements
Section 16. Outdoor Play Space
(e) The outdoor play area shall be enclosed with a fence. The fence shall be at least four (4) feet in height and the bottom edge shall be no more than three and one-half (3 1/2) inches off the ground.

Explanation of Findings: During the facility inspection it was observed that the fence in the play area is falling down and there is a section of fencing missing.

Action Required: The fence needs to be fixed so that there are no gaps of more than 3 1/2 inches. Please submit a corrective action plan to the licensing office showing how the fence will

be fixed. Licensing will monitor compliance.

Corrective Action Plan Due Date: 04/04/2022

Corrective Action Plan Achieved Date:

Compliance Due Date: 04/04/2022

Compliance Achieved Date:

The Department requests your cooperation in ensuring compliance is met. In the absence of cooperation, the Department may take whatever steps are necessary to ensure the safety of children.

The Department's information may be shared with authorized individuals or agencies, which include, but are not limited to, the Attorney General, County Attorney, and law enforcement.

If you disagree with the Department's finding of a non-compliance violation, you may request an Administrative hearing within (10) days of your receipt of this letter (W.S. 14-4-108). Administrative hearing procedures are included in the Wyoming Department of Family Services Contested Case Hearing Rules, Chapter 2, Substitute Care and Child Care Licensing and based on the above statute. If you need a copy of the Rules, or assistance in requesting an Administrative hearing, you may contact the Department of Family Services Field Office in the county where you live.

Licenser: Teddie Schraye
Address: 851 Werner Ct Suite 200
City/State/Zip: Casper WY 82601
Phone: 307-473-3964
Email: Teddie.Schraye@wyo.gov

Licenser Supervisor: Stoney Busch
Address: 851 Werner Ct Suite 200
City/State/Zip: Casper WY 82601
Phone: 307-473-3933
Email: Stoney.Busch@wyo.gov

Signature:

Two handwritten signatures in black ink. The first signature on the left is 'Teddie Schraye' and the second signature on the right is 'Stoney Busch'.

Teddie Schraye

Date: 03/24/2022

CC: