PROVIDER/DIRECTOR			FACILITY NAME	FACILITY TYPE: FCCC	HOURS: Mon: 06:30AM - 05:00PM Tue: 06:30AM - 05:00PM Wed: 06:30AM - 05:00PM Thu: 06:30AM - 05:00PM Fri: 06:30AM - 05:00PM
Alicia	Archu	lleta	Lala's Littles	DATE 03/17/2022	TIME 01:00 PM
STRE	ET A	DDRESS	CITY	TELEPHONE NUMBER	CAPACITY
740 E	vergla	ade	Cheyenne	307-630-5406	15
ASST. DIRECTOR'S NAME /INFANT DIRECTOR				NUMBER OF INFANTS ENROLLED 2	
Reas	on fo	r visit:			
X Fac	sility 1	InspectionCompliance M	onitoring		
сорі	ES: ompli	ant V - Violation N - Neede	-	al Assistance NA - Not Ap	plicable
с	1.	License visibly posted.			
с	2.	Zoning Approval: (once, and	nual, none, othe	r)	
с	3.	Emergency numbers posted			
с	4.	Evacuation floor plans and procedures posted by all exits.			
MED	ICATI	ON AND FIRST AID			
с	5.	All medications safely stored (diaper bags)	d. Medications a	re administered according to	licensing requirements.
с	6.	First Aid kit is complete and available. (Also includes travel kits.)			
SUPE	RVIS	ION/NAPPING			
с	7.	FCCH/FCCC: Awake infants and toddlers must be directly supervised by staff at all times.		staff at all times.	
с	8.	FCCH/FCCC: Children in Kin	dergarten or un	der 6 years old are directly s	upervised outside.
с	9.			t fenced outdoor areas if dire from one area to the other	
с	10.			ight, must be within easy he all requirements are to be n	
С	11.	FCCH/FCCC: All children on	the same level of	of staff at all times.	

NA	12.	CCC: Children are directly supervised by staff in each approved area of the facility.
NA	13.	CCC: Napping children: At least one staff directly supervising napping children. Staff numbers maintained within facility to meet overall staff:child ratios.
с	14.	Infants are placed on a firm flat surface, on their back to sleep, without anything over their head or face, nothing placed in the crib, bassinet, or playpen, no swaddling without a written statement and instructions, a sleeper or sack available with instructions. Infants are actively surpervised every 5 minutes to see the infant's face and observe color and brething.
с	15.	Cots or pads are spaced at least 2 feet apart on all sides.
с	16.	Cribs are spaced 3 feet apart on all sides and are compliant with CPSC standards.
С	17.	Storage/Separate bedding is available for rest time.
С	18.	Bedding is washed once a week or more often as needed.
HEAL	TH A	ND SAFETY
NA	19.	Commercial Constant Air Inflatable Devices have parental permission slips on file.
с	20.	Unapproved areas of the facility are inaccessible to children.
с	21.	Play areas, equipment, and toys shall be maintained in a clean, uncluttered, safe condition and free of hazards.
с	22.	Toys shall be suitable for age and development.
с	23.	Porches, steps, stairs and walkways are in good repair and safe condition and free of clutter.
с	24.	Window wells are covered, but don't impede egress or allow for entrapment.
с	25.	Potentially dangerous items shall be inaccessible.
с	26.	Cords and ropes are inaccessible.
С	27.	Stairs, decks, and elevated porches shall have sturdy railings and child safety gates.
С	28.	Proper heating, ventilation, lighting.
с	29.	Unused electrical outlets shall be covered with safety caps or are tamper resistant.
с	30.	Receptacle(s) with tight fitting lids are available for garbage disposal.
с	31.	Hot appliances shall be inaccessible.
С	32.	Disinfectant/ test strips present and in use in food prep and dining area.

С	33.	Heating appliances and electric fans shall be screened or not used.
NA	34.	Swimming and Wading Pools have parental permission slips. Check other Water Hazards.
NA	35.	Hot Tubs, Spas and Full Sized Trampolines.
NA	36.	Storage of weapons, ammunition, gunpowder, and archery equipment.
с	37.	Tobacco, Drug, & Alcohol Policy.
с	38.	Operable telephone or cell phone is available.
с	39.	Awake infants and toddlers are not confined to cribs, playpens, car seats, swings, high chair, and carriers or in one position for excessive periods of time.
с	40.	Infants shall be provided with a designated and safe play area.
NA	41.	Overnight Care requirements shall be met if overnight care is provided.
с	42.	Floors, walls, and window coverings are kept clean.
с	43.	Wet or soiled clothing, including disposable undergarments are changed promptly and clean clothing for emergency is available.
с	44.	Diaper changing area is sanitary and within 12 feet of hand washing sink. Disinfectant is readably available.
С	45.	Children and staff wash their hands as required.
с	46.	Toys, phones, doorknobs, door casings, handles and railings must be cleaned and sanitized once a week or whenever visibly soiled. Food serving surfaces shall be sanitzed before and after each use.
С	47.	Dirty laundry shall not be accessible to children.
с	48.	A sturdy stool, soap, and single service hand towels are available to children at hand-washing sink.
с	49.	Outdoor/Indoor play areas, equipment and surfacing are in safe condition.
с	50.	Outdoor/Indoor play areas, space used at least one (1) time per day for at least 30 minutes.
с	51.	Vehicle used to transport children shall be maintained in safe condition and comply with all applicable motor vehicle laws.
с	52.	Media, including movies and internet sites that are rated higher than PG shall be inaccessible to children.
С	53.	Fire exits are clear and exit doors remain unlocked or have locks allowing all parties to safely exit.

RECO	RECORD KEEPING			
С	54.	Attendance records are maintained/verified by staff (sign in/sign out sheets available).		
С	55.	Current Fire Inspection Report. Completed: 08/17/2021 Expires: 08/17/2022		
С	56.	Current Sanitation Report. Completed: 10/08/2021 Expires: 10/08/2022		
NA	57.	Current Well-water Test Results.		
С	58.	Policy statements and Emergency Preparedness plan is on file and given to parents. If changes in policy, new copies are received.		
С	59.	Injury/Illness/Incidents are reported and kept on file.		
NA	60.	Explain the role of your board of directors and has the chairperson changed.		
С	61.	Infant documentation for diapering and feeding is made available to parents.		
С	62.	Menus are current and available for parental review.		
С	63.	Name of food program provider belongs to: Wild Wood		
С	64.	Written record(s) of emergency preparedness drills are complete and available.		
С	65.	Confidentiality.		
С	66.	Children's names, pictures and any other information shall have parental permission for use.		
с	67.	All equipment and products used in child care facilities shall be used per manufacturer instructions. Manufacturer instructions/guidelines, including but not limited to Indoor/Outdoor equipment, Cribs, Sleepers/Sleep Sacks shall be on file.		
FOOD) PRE	PARATION/CARE/SERVICE		
NA	68.	Food prepared and served is of sound condition and approved source (no wild game)		
NA	69.	No "home-canned" food		
NA	70.	Pasteurized eggs, egg products and juice (children 9 and under)		
NA	71.	Milk and milk products Pasteurized and Grade A Quality standards - including dry ($\frac{1}{2}$ or 1 gallon for serving and no reuse of milk, refrigerate after pour) No dry powdered milk for drinking		
NA	72.	Sufficient cold and hot storage equipment present for potentially hazardous food		
NA	73.	Refrigerator food contents held at or below 41 degrees		

NA	74.	Freezer food maintained in frozen condition at or below 32 degrees	
NA	75.	Are potentially hazardous prepared foods held at or above 135 degrees.	
NA	76.	Food is cooked to the proper internal temperatures	
NA	77.	Beef roast 140	
NA	78.	Steak/ chops /fish 145	
NA	79.	Ground beef and pork 155	
NA	80.	Poultry and stuffed meats/ all leftovers 165	
NA	81.	In refrigerator 41 degrees F or lower	
NA	82.	Under potable water @ 70 degrees F or lower	
NA	83.	Microwave	
NA	84.	Food protected from contamination	
NA	85.	No unwrapped leftovers	
NA	86.	Food storage (clean, covered, labeled) at least 6" above the floor	
NA	87.	Cross-contamination prevention: least possible manual contact with clean & sanitized surfaces and utensils.	
NA	88.	Food preparation and service surfaces are constructed with safe materials and are in good repair (corrosion resistant, cleanable, durable)	
NA	89.	Food preparation and service surfaces are cleaned and sanitized	
NA	90.	Adequate lighting, vent covers, wall-mounted fans, and similar equipment in good repair	
NA	91.	Hair control for food prep practiced	
EQUI	PMEN	IT STORAGE, CLEANING & SANITIZING	
NA	92.	All equipment and utensils for food preparation and service are cleaned & sanitized and stored 6" above floor level	
NA	93.	Warewashing method: with a water temp reaching a minimum of 150 degrees.	
NA	94.	3 compartment sink with sanitizing basin Air drying sanitizer strength:	

NA96Single-service articles store 6° above floor levelNA97No reuse of single-service articlesV98Toys are sanitized no less than weekly or more often if visibly soled.PHUEXEXENTIESPHUEXENTIESPHUEXENTIESSole floor coverings, walls, wall coverings, and cellings in good repair and not soledC90Sufficient ventilation in all roomsREIcad-based paint does not exceed dust levelsREVSole and paper towels are available in the restroom.C102Io4 vare at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F)C103Iot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F)C104Andwashing sinks are 24-36° in height and located in or adjacent to restroomsC105A covered garbage receptacle is available in the restroomC105A covered garbage receptacle is available in the restroom <tr< th=""><th>с</th><th>95.</th><th>Sanitizer is mixed at the proper strength (50-100ppm Chlorine/ 200ppm QuaternaryAmmonia/ or according to product label)</th></tr<>	с	95.	Sanitizer is mixed at the proper strength (50-100ppm Chlorine/ 200ppm QuaternaryAmmonia/ or according to product label)
C98.Toys are sanitized no less than weekly or more often if visibly soiled.PH-VEXENTIALFloors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiledC99.Floors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiledC100.Sufficient ventilation in all roomsC101.Lead-based paint does not exceed dust levelsREXENTSoap and paper towels are available in the restroom.C102.Soap and paper towels are available in the restroom.C103.Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F)C104.Handwashing sinks are 24-36" in height and located in or adjacent to restroomsC105.A covered garbage receptacle is available in the restroomC106.A ratio of 1:4 potty training chairs is utilized for children who are potty training.DIDiA ratio of 1:4 potty training chairs is utilized for children who are potty training.C104.Hand washing is done immediately before and after changing diapersC105.Nonging pad good condition & cleanC106.Sanitizer available in diaper changing area and used after every change (proper strength: 100-200 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label)C110.Proper disposal (covered garbage receptacle)C111.Proper disposal (covered garbage receptacle)C112.Public sewage system or DEQ approved systemC113.Garbage storage covered, clean, lined, durable,	NA	96.	Single-service articles store 6" above floor level
PHY FACTLITIES c 99. Floors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiled c 100. Sufficient ventilation in all rooms c 101. Lead-based paint does not exceed dust levels RE Fors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiled c 101. Lead-based paint does not exceed dust levels RE Fors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiled c 101. Lead-based paint does not exceed dust levels RE Fors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiled c 102. Soap and paper towels are available in the restroom. c 103. Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F) c 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms c 105. A covered garbage receptacle is available in the restroom c 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. c 107. The diaper changing area is within 12 feet of the handwashing sink <th>NA</th> <th>97.</th> <th>No reuse of single-service articles</th>	NA	97.	No reuse of single-service articles
c99.Floors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiledc100.Sufficient ventilation in all roomsc101.Lead-based paint does not exceed dust levelsRESTORVoltageSoap and paper towels are available in the restroom.c102.Soap and paper towels are available in the restroom.c103.Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F)c104.Handwashing sinks are 24-36" in height and located in or adjacent to restroomsc105.A covered garbage receptacle is available in the restroomc106.A ratio of 1:4 potty training chairs is utilized for children who are potty training.DIATENTING AREASc107.The diaper changing area is within 12 feet of the handwashing sinkc108.Hand washing is done immediately before and after changing diapersc109.Changing pad good condition & cleanc101.Sanitizer available in diaper changing area and used after every change (proper strength: 100-200 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label)c110.Proper disposal (covered garbage receptacle)LIDENTIFYLIDENTIFYLIDENTIFYLIDENTIFYC112.Public sewage system or DEQ approved systemc112.Public sewage system or DEQ approved systemc113.Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof	с	98.	Toys are sanitized no less than weekly or more often if visibly soiled.
C100Sufficient ventilation in all roomsC101Lead-based paint does not exceed dust levelsRESTORCC102Soap and paper towels are available in the restroom.C103Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F)C104Handwashing sinks are 24-36" in height and located in or adjacent to restroomsC105A covered garbage receptacle is available in the restroomC105A covered garbage receptacle is available in the restroomC106A ratio of 1:4 potty training chairs is utilized for children who are potty training.DIATETHAID MAREASC107The diaper changing area is within 12 feet of the handwashing sinkC108Hand washing is done immediately before and after changing diapersC109Changing pad good condition & cleanC110Sanitizer available in diaper changing area and used after every change (proper strength: 100-200 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label)C111Proper disposal (covered garbage receptacle)LIQUE UESULD WASTE DISPOSALC112Public sewage system or DEQ approved systemC113Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof	PHYS	SICAL	FACILITIES
InterpretationInterpretationC101.InterpretationRESTINGInterpretationC102.Soap and paper towels are available in the restroom.C103.Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F)C104.Handwashing sinks are 24-36" in height and located in or adjacent to restroomsC105.A covered garbage receptacie is available in the restroomC106.A ratio of 1:4 potty training chairs is utilized for children who are potty training.DDUTETING AREASC107.Inte diaper changing area is within 12 feet of the handwashing sinkC108.Hand washing is done immediately before and after changing diapersC109.Changing pad good condition & cleanC109.Sanitzer available in diaper changing area and used after every change (proper strength: 100-200C110.Proper disposal (covered garbage receptacie)C111.Proper disposal (covered garbage receptacie)C112.Public sewage system or DEQ approved systemC113.Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof	с	99.	Floors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiled
RESTURE Soap and paper towels are available in the restroom. C 102. Soap and paper towels are available in the restroom. C 103. Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F) C 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DI Vertex Vertex C 107. The diaper changing area is within 12 feet of the handwashing sink C 108. Hand washing is done immediately before and after changing diapers C 108. Changing pad good condition & clean C 109. Sanitizer available in diaper changing area and used after every change (proper strength: 100-200 ppm Chlorine/ 200 ppm quantaray ammonia/ or according to product label) C 110. Proper disposal (covered garbage receptacle) LU Vertex Vertex L Vertex Public sewage system or DEQ approved system C 112. Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof	с	100.	Sufficient ventilation in all rooms
C102.Soap and paper towels are available in the restroom.C103.Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F)C104.Handwashing sinks are 24-36" in height and located in or adjacent to restroomsC105.A covered garbage receptacle is available in the restroomC106.A ratio of 1:4 potty training chairs is utilized for children who are potty training.DIAPER CHARGING AREASC107.The diaper changing area is within 12 feet of the handwashing sinkC108.Hand washing is done immediately before and after changing diapersC109.Changing pad good condition & cleanC110.Sanitizer available in diaper changing area and used after every change (proper strength: 100-200 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label)C111.Proper disposal (covered garbage receptacle)LIQUED & SUID WASTE DISPOSALC112.Public sewage system or DEQ approved systemC113.Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof	с	101.	Lead-based paint does not exceed dust levels
Initial ConstraintInitial ConstraintC103.Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F)C104.Handwashing sinks are 24-36" in height and located in or adjacent to restroomsC105.A covered garbage receptacle is available in the restroomC106.A ratio of 1:4 potty training chairs is utilized for children who are potty training.DIAFETETENGING AREASThe diaper changing area is within 12 feet of the handwashing sinkC107.The diaper changing area is within 12 feet of the handwashing diapersC108.Hand washing is done immediately before and after changing diapersC109.Changing pad good condition & cleanC110.Sanitizer available in diaper changing area and used after every change (proper strength: 100-200ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label)100-200LIQUEDEDEDEDEDEDEDEDEDEDEDEDEDEDEDEDEDEDED	REST	ROO	1S
C104Handwashing sinks are 24-36" in height and located in or adjacent to restroomsC105.A covered garbage receptacle is available in the restroomC106.A ratio of 1:4 potty training chairs is utilized for children who are potty training.DIAFERENEING AREASIntermediated performed area is within 12 feet of the handwashing sinkC107.The diaper changing area is within 12 feet of the handwashing sinkC108.Hand washing is done immediately before and after changing diapersC109.Changing pad good condition & cleanC110.Sanitizer available in diaper changing area and used after every change (proper strength: 100-200 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label)C111.Proper disposal (covered garbage receptacle)LIQUEDEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE	с	102.	Soap and paper towels are available in the restroom.
Image: Constraint of the section of	С	103.	Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F)
CInterformer of the point of the	С	104.	Handwashing sinks are 24-36" in height and located in or adjacent to restrooms
DIAPTICIPATION of the final structure	с	105.	A covered garbage receptacle is available in the restroom
c107.The diaper changing area is within 12 feet of the handwashing sinkc108.Hand washing is done immediately before and after changing diapersc109.Changing pad good condition & cleanc110.Sanitizer available in diaper changing area and used after every change (proper strength: 100-200 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label)c111.Proper disposal (covered garbage receptacle)LIQUUE & SOLID WASTE DISPOSALImage: Covered garbage or DEQ approved systemc112.Public sewage system or DEQ approved systemc113.Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof	с	106.	A ratio of 1:4 potty training chairs is utilized for children who are potty training.
C108.Hand washing is done immediately before and after changing diapersC109.Changing pad good condition & cleanC110.Sanitizer available in diaper changing area and used after every change (proper strength: 100-200 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label)C111.Proper disposal (covered garbage receptacle)LIQUIDE VIDE VIDE VIDE VIDE VIDE VIDE VIDE V	DIAP	ER CI	HANGING AREAS
C109.Changing pad good condition & cleanC109.Changing pad good condition & cleanC110.Sanitizer available in diaper changing area and used after every change (proper strength: 100-200 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label)C111.Proper disposal (covered garbage receptacle)LIQUIDE VENERATE DISPOSALVenerationC112.Public sewage system or DEQ approved systemC113.Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof	с	107.	The diaper changing area is within 12 feet of the handwashing sink
C110.Sanitizer available in diaper changing area and used after every change (proper strength: 100-200 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label)C111.Proper disposal (covered garbage receptacle)LIQUID & SOLID WASTE DISPOSALPublic sewage system or DEQ approved systemC112.Public sewage covered, clean, lined, durable, cleanable and insect & rodent proof	с	108.	Hand washing is done immediately before and after changing diapers
 c 110. ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) c 111. Proper disposal (covered garbage receptacle) LIQUID & SOLID WASTE DISPOSAL c 112. Public sewage system or DEQ approved system c 113. Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof 	с	109.	Changing pad good condition & clean
LIQUID & SOLID WASTE DISPOSAL C 112. Public sewage system or DEQ approved system C 113. Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof	с	110.	
C 112. Public sewage system or DEQ approved system C 113. Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof	с	111.	Proper disposal (covered garbage receptacle)
C 113. Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof	LIQU	ID &	SOLID WASTE DISPOSAL
	с	112.	Public sewage system or DEQ approved system
ANIMALS	С	113.	Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof
	ANIM	IALS	

С	114.	Excluded from food prep, dishwashing and dining areas (including dishes and litter boxes, etc.)	
с	115.	Pet vaccination or psittacosis tests (for birds) current and available	
с	116.	Only allowed animals (domestic dog, cat, ferret, ungulate, pet rabbit, pet rodent, aquarium fish, non-psittacine cage and aviary birds). No wild, aggressive or potentially harmful animals. No contact with ferrets, baby chicks, baby ducks (children under 5). No bats, raccoons, skunks and wild carnivores (including dead animals).	
PEST	CON	TROL	
с	117.	Insect and rodent control measures in place	
с	118.	Approved methods: stick-um fly strips, electronic killing devices and other non-toxic methods or pesticides	
с	119.	Doors and windows effectively protect against all insects and rodents. Screen material less than 16 mesh to the inch	
HEAL	TH R	EQUIREMENTS	
с	120.	No person with communicable disease present	
С	121.	Exclusion of ill staff and children as per rules	
с	122.	Policy for notifying parents of ill children	
с	123.	Policy for notifying parents and staff of exposure to a communicable disease	
с	124.	Plan for separation and supervision of child seriously or suspiciously ill with a communicable disease	
с	125.	Plan for separation of staff seriously or suspiciously ill with a communicable disease	
с	126.	Report communicable diseases to the public health office	
Com	Comments:		

Renewal visit completed on this date, no hazards or violations observed. Discussed new rules and policy additions that are needed. Discussed expanding and locations in Cheyenne that would be a good childcare location. For renewal, request for renewal, renewal fee, staff summary and licenser will check training in office and follow up.

130. Child Records Notes

20 children enrolled total. Reviewed 6 child records - all in compliance.

131. Staff/Volunteer Record Notes

Reviewed staff records - Licenser will send TB risk assessment, one time only. Everything is in compliance.

132. Staff Child Ratios and Supervision

2:14 (I, I, 3, 3, 4, 4, 4, 1, 2, 2, 3, 3, 3, 2) - In compliance.

Licensor Signature:

Maba

Date: 03/17/2022

Director Signature:



Date: 03/17/2022