PROVIDER/DIRECTOR			FACILITY NAME	FACILITY TYPE: CCC	HOURS: Mon: 06:30AM - 06:00PM Tue: 06:30AM - 06:00PM Wed: 06:30AM - 06:00PM Thu: 06:30AM - 06:00PM Fri: 06:30AM - 06:00PM
LORI	STEEI	_Y	KIDDIE KOLLEGE	DATE 06/15/2021	TIME 09:30 AM
STRE	ET AI	DDRESS	CITY	TELEPHONE NUMBER	CAPACITY
4141	Laran	nie St.	Cheyenne	307-634-2797	130
	. DIR	ECTOR'S NAME /INFANT		NUMBER OF INFANTS ENROLLED	
				0	
Reas	on fo	r visit:			
X_Fac	ility 1	InspectionCompliance M	onitoring		
CODES: C - Compliant V - Violation N - Needed TA - Technical Assistance NA - Not Applicable					
POST	ING				
С	1.	License visibly posted.			
с	2.	Zoning Approval: (once, an	nual, none, othe	er)	
с	3.	Emergency numbers posted	l.		
с	4.	Evacuation floor plans and procedures posted by all exits.			
MED	ΙΟΑΤΙ	ON AND FIRST AID			
с	5.	All medications safely store (diaper bags)	d. Medications a	are administered according to	licensing requirements.
с	6.	First Aid kit is complete and available. (Also includes travel kits.)			
SUPE	RVIS	ION/NAPPING			
NA	7.	FCCH/FCCC: Awake infants	and toddlers m	ust be directly supervised by	staff at all times.
NA	8.	FCCH/FCCC: Children in Kin	dergarten or un	nder 6 years old are directly s	upervised outside.
NA	9.	FCCH/FCCC: Children 6 and over in adjacent fenced outdoor areas if direct access, staff can clearly hear what happens and is attentive, moving from one area to the other every couple of minutes.			
NA	10.			sight, must be within easy he e all requirements are to be r	

NA	11.	FCCH/FCCC: All children on the same level of staff at all times.
С	12.	CCC: Children are directly supervised by staff in each approved area of the facility.
с	13.	CCC: Napping children: At least one staff directly supervising napping children. Staff numbers maintained within facility to meet overall staff:child ratios.
NA	14.	Infants are placed on a firm flat surface, on their back to sleep, without anything over their head or face, nothing placed in the crib, bassinet, or playpen, no swaddling without a written statement and instructions, a sleeper or sack available with instructions. Infants are actively surpervised every 5 minutes to see the infant's face and observe color and brething.
С	15.	Cots or pads are spaced at least 2 feet apart on all sides.
с	16.	Cribs are spaced 3 feet apart on all sides and are compliant with CPSC standards.
с	17.	Storage/Separate bedding is available for rest time.
с	18.	Bedding is washed once a week or more often as needed.
HEAL	TH A	ND SAFETY
С	19.	Commercial Constant Air Inflatable Devices have parental permission slips on file.
с	20.	Unapproved areas of the facility are inaccessible to children.
с	21.	Play areas, equipment, and toys shall be maintained in a clean, uncluttered, safe condition and free of hazards.
с	22.	Toys shall be suitable for age and development.
с	23.	Porches, steps, stairs and walkways are in good repair and safe condition and free of clutter.
NA	24.	Window wells are covered, but don't impede egress or allow for entrapment.
С	25.	Potentially dangerous items shall be inaccessible.
С	26.	Cords and ropes are inaccessible.
С	27.	Stairs, decks, and elevated porches shall have sturdy railings and child safety gates.
с	28.	Proper heating, ventilation, lighting.
С	29.	Unused electrical outlets shall be covered with safety caps or are tamper resistant.
с	30.	Receptacle(s) with tight fitting lids are available for garbage disposal.
с	31.	Hot appliances shall be inaccessible.

С	32.	Disinfectant/ test strips present and in use in food prep and dining area.
С	33.	Heating appliances and electric fans shall be screened or not used.
NA	34.	Swimming and Wading Pools have parental permission slips. Check other Water Hazards.
NA	35.	Hot Tubs, Spas and Full Sized Trampolines.
NA	36.	Storage of weapons, ammunition, gunpowder, and archery equipment.
с	37.	Tobacco, Drug, & Alcohol Policy.
С	38.	Operable telephone or cell phone is available.
NA	39.	Awake infants and toddlers are not confined to cribs, playpens, car seats, swings, high chair, and carriers or in one position for excessive periods of time.
NA	40.	Infants shall be provided with a designated and safe play area.
NA	41.	Overnight Care requirements shall be met if overnight care is provided.
С	42.	Floors, walls, and window coverings are kept clean.
с	43.	Wet or soiled clothing, including disposable undergarments are changed promptly and clean clothing for emergency is available.
с	44.	Diaper changing area is sanitary and within 12 feet of hand washing sink. Disinfectant is readably available.
С	45.	Children and staff wash their hands as required.
с	46.	Toys, phones, doorknobs, door casings, handles and railings must be cleaned and sanitized once a week or whenever visibly soiled. Food serving surfaces shall be sanitzed before and after each use.
С	47.	Dirty laundry shall not be accessible to children.
С	48.	A sturdy stool, soap, and single service hand towels are available to children at hand-washing sink.
С	49.	Outdoor/Indoor play areas, equipment and surfacing are in safe condition.
С	50.	Outdoor/Indoor play areas, space used at least one (1) time per day for at least 30 minutes.
с	51.	Vehicle used to transport children shall be maintained in safe condition and comply with all applicable motor vehicle laws.
с	52.	Media, including movies and internet sites that are rated higher than PG shall be inaccessible to children.

с	53.	Fire exits are clear and exit doors remain unlocked or have locks allowing all parties to safely exit.	
RECC	ORD K	EEPING	
с	54.	Attendance records are maintained/verified by staff (sign in/sign out sheets available).	
N	55.	Current Fire Inspection Report. Completed: 06/17/2020 Expires: 06/17/2021	
С	56.	Current Sanitation Report. Completed: 06/15/2021 Expires: 06/15/2022	
NA	57.	Current Well-water Test Results.	
с	58.	Policy statements and Emergency Preparedness plan is on file and given to parents. If changes in policy, new copies are received.	
С	59.	Injury/Illness/Incidents are reported and kept on file.	
NA	60.	Explain the role of your board of directors and has the chairperson changed.	
NA	61.	Infant documentation for diapering and feeding is made available to parents.	
С	62.	Menus are current and available for parental review.	
С	63.	Name of food program provider belongs to: CACFP	
С	64.	Written record(s) of emergency preparedness drills are complete and available.	
с	65.	Confidentiality.	
с	66.	Children's names, pictures and any other information shall have parental permission for use.	
с	67.	All equipment and products used in child care facilities shall be used per manufacturer instructions. Manufacturer instructions/guidelines, including but not limited to Indoor/Outdoor equipment, Cribs, Sleepers/Sleep Sacks shall be on file.	
FOOI) PRE	PARATION/CARE/SERVICE	
с	68.	Food prepared and served is of sound condition and approved source (no wild game)	
NA	69.	No "home-canned" food	
с	70.	Pasteurized eggs, egg products and juice (children 9 and under)	
с	71.	Milk and milk products Pasteurized and Grade A Quality standards - including dry ($\frac{1}{2}$ or 1 gallon for serving and no reuse of milk, refrigerate after pour) No dry powdered milk for drinking	
с	72.	Sufficient cold and hot storage equipment present for potentially hazardous food	

С	73.	Refrigerator food contents held at or below 41 degrees	
с	74.	Freezer food maintained in frozen condition at or below 32 degrees	
с	75.	Are potentially hazardous prepared foods held at or above 135 degrees.	
С	76.	Food is cooked to the proper internal temperatures	
С	77.	Beef roast 140	
С	78.	Steak/ chops /fish 145	
с	79.	Ground beef and pork 155	
с	80.	Poultry and stuffed meats/ all leftovers 165	
с	81.	In refrigerator 41 degrees F or lower	
с	82.	Under potable water @ 70 degrees F or lower	
с	83.	Microwave	
с	84.	Food protected from contamination	
с	85.	No unwrapped leftovers	
с	86.	Food storage (clean, covered, labeled) at least 6" above the floor	
с	87.	Cross-contamination prevention: least possible manual contact with clean & sanitized surfaces and utensils.	
с	88.	Food preparation and service surfaces are constructed with safe materials and are in good repair (corrosion resistant, cleanable, durable)	
С	89.	Food preparation and service surfaces are cleaned and sanitized	
С	90.	Adequate lighting, vent covers, wall-mounted fans, and similar equipment in good repair	
С	91.	Hair control for food prep practiced	
EQUI		IT STORAGE, CLEANING & SANITIZING	
с	92.	All equipment and utensils for food preparation and service are cleaned & sanitized and stored 6" above floor level	
С	93.	Warewashing method: with a water temp reaching a minimum of 150 degrees.	

C 95. according to product label) C 96. Single-service articles store 6" above floor level C 97. No reuse of single-service articles C 98. Toys are sanitized no less than weekly or more often if visibly soiled. PHVSICAL FACILITIES C 99. Floors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiled C 100. Sufficient ventilation in all rooms C 101. Lead-based paint does not exceed dust levels RESTROOMS C C 102. Soap and paper towels are available in the restroom. C 103. Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F C 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS NA NA 107. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every chan	С	94.	3 compartment sink with sanitizing basin Air drying sanitizer strength:
C 97. No reuse of single-service articles C 98. Toys are sanitized no less than weekly or more often if visibly soiled. PHYSICAL FACILITIES C 99. Floors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiled C 100. Sufficient ventilation in all rooms C C 101. Lead-based paint does not exceed dust levels RESTROMS C 102. Soap and paper towels are available in the restroom. C 103. Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F C 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS NA 107. NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 p	с	95.	Sanitizer is mixed at the proper strength (50-100ppm Chlorine/ 200ppm QuaternaryAmmonia/ or according to product label)
C 98. Toys are sanitized no less than weekly or more often if visibly soiled. PHYSICAL FACILITIES C 99. Floors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiled C 100. Sufficient ventilation in all rooms C 101. Lead-based paint does not exceed dust levels RESTROOMS C 102. Soap and paper towels are available in the restroom. C 103. Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F C 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS NA NA 107. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA <th>С</th> <th>96.</th> <th>Single-service articles store 6" above floor level</th>	С	96.	Single-service articles store 6" above floor level
PHYSICAL FACILITIES C 99. Floors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiled C 100. Sufficient ventilation in all rooms C 101. Lead-based paint does not exceed dust levels RESTROMS Io2. Soap and paper towels are available in the restroom. C 103. Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F C 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS Interface of the handwashing sink NA 107. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle) <th>С</th> <th>97.</th> <th>No reuse of single-service articles</th>	С	97.	No reuse of single-service articles
C 99. Floors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiled C 100. Sufficient ventilation in all rooms C 101. Lead-based paint does not exceed dust levels RESTROOMS C 102. Soap and paper towels are available in the restroom. C 103. Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F C 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS NA 107. NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle)	С	98.	Toys are sanitized no less than weekly or more often if visibly soiled.
C 100. Sufficient ventilation in all rooms C 101. Lead-based paint does not exceed dust levels RESTROOMS C 102. Soap and paper towels are available in the restroom. C 103. Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F C 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS NA 107. NA 107. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle)	PHYS	SICAL	FACILITIES
C 101. Lead-based paint does not exceed dust levels RESTROMS I02. Soap and paper towels are available in the restroom. C 103. Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F C 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS NA 107. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle)	С	99.	Floors, floor coverings, walls, wall coverings, and ceilings in good repair and not soiled
RESTROMS C 102. Soap and paper towels are available in the restroom. C 103. Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F C 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS I07. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle)	С	100.	Sufficient ventilation in all rooms
C 102. Soap and paper towels are available in the restroom. C 103. Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F C 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS NA 107. NA 107. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle)	с	101.	Lead-based paint does not exceed dust levels
C 103. Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F C 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS NA 107. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle)	REST	ROOM	MS
C 104. Handwashing sinks are 24-36" in height and located in or adjacent to restrooms C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS NA 107. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle)	С	102.	Soap and paper towels are available in the restroom.
C 105. A covered garbage receptacle is available in the restroom C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS NA 107. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle)	С	103.	Hot water at the handwashing sink does not exceed 120 degrees F (minimum temp 60 degrees F)
C 106. A ratio of 1:4 potty training chairs is utilized for children who are potty training. DIAPER CHANGING AREAS NA 107. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-200 ppm Chlorine/ 200 ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle)	С	104.	Handwashing sinks are 24-36" in height and located in or adjacent to restrooms
DIAPER CHANGING AREAS NA 107. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle)	с	105.	A covered garbage receptacle is available in the restroom
 NA 107. The diaper changing area is within 12 feet of the handwashing sink NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle) 	с	106.	A ratio of 1:4 potty training chairs is utilized for children who are potty training.
 NA 108. Hand washing is done immediately before and after changing diapers NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle) 	DIAP	ER CI	HANGING AREAS
NA 109. Changing pad good condition & clean NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle)	NA	107.	The diaper changing area is within 12 feet of the handwashing sink
 NA 110. Sanitizer available in diaper changing area and used after every change (proper strength: 100-20 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle) 	NA	108.	Hand washing is done immediately before and after changing diapers
NA 110. ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label) NA 111. Proper disposal (covered garbage receptacle)	NA	109.	Changing pad good condition & clean
	NA	110.	Sanitizer available in diaper changing area and used after every change (proper strength: 100-200 ppm Chlorine/ 200ppm quantaray ammonia/ or according to product label)
	NA	111.	Proper disposal (covered garbage receptacle)
LIQUID & SOLID WASTE DISPOSAL	LIQU	ID &	SOLID WASTE DISPOSAL
C 112. Public sewage system or DEQ approved system	С	112.	Public sewage system or DEQ approved system
C 113. Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof	С	113.	Garbage storage covered, clean, lined, durable, cleanable and insect & rodent proof

ANIMALS				
С	114.	Excluded from food prep, dishwashing and dining areas (including dishes and litter boxes, etc.)		
NA	115.	Pet vaccination or psittacosis tests (for birds) current and available		
NA	116.	Only allowed animals (domestic dog, cat, ferret, ungulate, pet rabbit, pet rodent, aquarium fish, non-psittacine cage and aviary birds). No wild, aggressive or potentially harmful animals. No contact with ferrets, baby chicks, baby ducks (children under 5). No bats, raccoons, skunks and wild carnivores (including dead animals).		
PEST	CON	TROL		
с	117.	Insect and rodent control measures in place		
с	118.	Approved methods: stick-um fly strips, electronic killing devices and other non-toxic methods or pesticides		
с	119.	Doors and windows effectively protect against all insects and rodents. Screen material less than 16 mesh to the inch		
HEAL	TH R	EQUIREMENTS		
с	120.	No person with communicable disease present		
с	121.	Exclusion of ill staff and children as per rules		
с	122.	Policy for notifying parents of ill children		
с	123.	Policy for notifying parents and staff of exposure to a communicable disease		
с	124.	Plan for separation and supervision of child seriously or suspiciously ill with a communicable disease		
с	125.	Plan for separation of staff seriously or suspiciously ill with a communicable disease		
С	126.	Report communicable diseases to the public health office		
Com	Comments:			

Water temp, refrigerator, freezer temps were all appropriate. The quat and bleach sanitizers were mixed appropriately. The facility is clean and the children were all engaged in age appropriate activities. School aged children were on field trips to parks. Some children had gone to a movie yesterday. Children are very social and welcoming. Reviewed the renewal and what is needed. Please call fire and schedule an inspection. The number is 637-6311. Thanks for your hospitality. Always great to visit with you.

130. Child Records Notes

86 children are enrolled. Checked 8 child records. All were in compliance.

131. Staff/Volunteer Record Notes

There are 23 staff and 2 were new. Checked 2 staff records and both were in compliance. Reviewed the staff training summaries and the following is needed prior to license issuance: Lori Steely needs #9, Kelli Kechter needs 2 electives, Holly Crozier needs 2 electives, Amy Robinson needs 2 electives, Trina Sitton needs 2 electives, Alexa Hayden needs 2 electives, Nina Parsons needs 1.5 electives, Zach Powell needs 2 electives, Stephanie Gorman needs 2 electives,

132. Staff Child Ratios and Supervision

4 2 yr olds with 1 8 3 yr olds with 1 6 4 yr olds with 2 8 school agers with 1 10 4 and 5 yr olds with 1 10 5 yr olds with 1 All were in ratio.

Licensor Signature:

1g-fbe

Date: 06/15/2021

Director Signature:

Date: 06/15/2021