



Wyoming State Fire Marshal

Occupancy: **Sweet Spirits Chld Care**

Occupancy ID: **4744**

Address: **211 E Kelly AVE**

Jackson WY 83002

Inspection Type: **Virtual Reinspection**

Inspection Date: **1/10/2022**

By: Norford, Mark (0000055427)

Time In: **22:25**

Time Out: **22:31**

Authorized Date: **01/10/2022**

By: Norford, Mark (0000055427)

Next Inspection Date: **No Inspection Scheduled**

Form: Maintenance E

Inspection Description:

Educational Group Occupancies includes, among others, the use of a building or structure, or a portion thereof, by 6 or more persons at any one time for educational purposes through the 12th grade.

Inspection Topics:

General Comments

All fire code violations identified during previous inspections have been corrected.

Thank You

Status: PASS

Notes:

Fire Protection Systems

915.1; Carbon Monoxide detection

Carbon monoxide detection shall be installed in new buildings in accordance with Sections 915.1.1 through 915.6. Carbon monoxide detection shall be installed in existing buildings in accordance with Section 1103.9.

Status: CORRECTIONS NEEDED

Notes: Add a carbon monoxide detector. Email picture when that is complete

Housekeeping

315.3; Storage in buildings-orderly

Storage of materials in buildings shall be orderly and stacks shall be stable. Storage of combustible materials shall be separated from heaters or heating devices by distance or shielding so that ignition cannot occur.

Status: General Site Comments

Notes: Caution in the storage room try to keep combustible storage below 24" from the ceiling.

Additional Time Spent on Inspection:

Category	Start Date / Time	End Date / Time
----------	-------------------	-----------------

Notes: No Additional time recorded

Total Additional Time: 0 minutes

Inspection Time: 6 minutes

Total Time: 6 minutes

Summary:


Overall Result: Passed

Maintenance and plan review projects when no corrections are needed and all inspections are completed.

Inspector Notes:

Inspector:

Name: Norford, Mark
Rank: Fire Inspector
Mobile Phone(s): 307-631-1392
Email(s): mark.norford@wyo.gov
Norford, Mark:



Signed on: 12/16/2021 09:59

Signature

Date

Representative Signature:

Signature of: Adalid on 12/16/2021 10:00



Signature

Date